

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Abdominal pain	21522001	334,652
Able to control behavior	225901009	10,767
Able to cope	225909006	584,128
Able to retain		142,715
Able to show empathy	1066491000000100	54,601
Abnormal behavior	25786006	915,708
Abnormal movement	225606002	273,987
Abnormal perception	247701008	1,686,532
Absconded from care setting	1104181000000100	572,188
Activity exercise pattern	106020009	620,150
Adequately dressed	248165006	1,363,814
Alcohol withdrawal syndrome	191480000	157,071
Altered appetite	249473004	96,432
Altered perception	1157237004	844,627
Amnesia	48167000	15,537
Anergia		41,342
Anhedonia	28669007	298,998
Anorexia symptom	249468005	197,290
Antisocial behavior	60814007	93,620
Anxiety	48694002	26,391,871
Appetite normal	161825005	2,577,547
Appetite problem	289163007	147,521
Apprehension	49971008	182,578
Argumentative behavior	9182005	591,618
Assertive		229,105
Asthenia	13791008	230,828
Asymptomatic	84387000	119,854

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Auditory hallucinations	45150006	1,268,301
Avoidance behavior	284489004	274,161
Backache	161891005	710,558
Bereavement	74506000	710,600
Binging	248122005	494,105
Bizarre behavior	248020004	239,570
Bleeding	131148009	248,690
Blunted affect	6140007	115,493
Body odor	81917002	232,214
Boredom	83765003	547,035
Capacity for enjoyment - finding	365164002	1,003,746
Casually dressed		1,200,642
Catatonia	247917007	56,993
Challenging behavior	248041005	793,005
Change in mental state		111,883
Character trait finding of self-consciousness	225623006	43,233
Cheerful mood	112080002	12,124,584
Chest pain	29857009	614,797
Chronic back pain	134407002	35,921
Chronic pain	82423001	153,780
Circumstantiality	18343006	46,640
Clouded consciousness	40917007	4,789,443
Cognitive function finding	373930000	1,361,607
Coherent speech	449511000124107	614,564
Comfort		137,315
Communication finding	118231006	1,807,213
Complaint	409586006	602,283

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Confabulation	17842005	53,204
Confident	225486005	646,138
Conflict	15863006	245,199
Confrontational behavior	284662003	196,624
Constipation	14760008	1,194,577
Continence (ADL finding)	129046002	177,996
Cough	49727002	864,546
Crisis	32937002	493,992
Crying	304534000	6,786,664
Decrease in appetite	64379006	1,247,080
Dehydration	34095006	124,952
Delusion of persecution	216004	472,016
Delusions	2073000	3,618,898
Demanding behavior	284503003	379,868
Depersonalization	79499004	31,389
Depressed mood	366979004	20,424,646
Derealization	40806005	19,396
Deterioration		2,669,353
Diarrhea	62315008	447,593
Dietary intake finding	284648005	440,599
Diet poor	310502008	396,970
Difficulties understanding		84,499
Difficulties with comprehension		101,090
Difficulty coping	18232000	5,017,442
Difficulty making decisions	247585004	46,231
Difficulty processing information	307085007	46,775
Difficulty talking	286378009	84,758

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Discomfort		971,887
Disinhibited behavior	247973004	264,471
Disorganized thinking	736319003	2,119,234
Disorientated	62476001	622,898
Disorientated in place	72440003	12,719
Disorientated in time	19657006	77,158
Disruptive behavior	248044002	575,604
Dissatisfaction with body image	443732006	14,199
Dissociation - mental defense mechanism	286669009	249,423
Distorted body image	63384009	21,813
Distractibility	28102002	1,380,038
Distress	69328002	6,317,398
Disturbance in mood	48079002	1,192,960
Disturbance in speech	29164008	295,295
Disturbance of attention	76039005	79,926
Dizziness	404640003	996,288
Dizzy spells	315018008	74,653
Does articulate clearly	286296002	109,725
Does dress appropriately	761811000000103	1,176,125
Does maintain conversation	288666009	2,783,760
Does problem solve	1069371000000100	90,739
Does use humor	288802005	702,706
Dressed - appearance	301306007	1,510,743
Dyspnea	267036007	804,879
Dyspraxia	6950007	33,635
Easily distracted	247764002	240,233
Echolalia	64712007	15,556

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Edema	267038008	500,917
Elation	34822003	1,065,340
Elevated mood	81548002	336,065
Emotional		1,710,932
Emotionally distant	285847005	43,269
Emotionally subdued	225650001	255,498
Emotionally warm	225459005	1,550,495
Emotional problems	386816005	741,522
Emotional state finding	106126000	622,468
Enthusiastic	225471004	168,898
Euphoria	85949006	27,848
Euthymic mood	82248001	3,696,947
Excessive exercise	102533007	30,699
Excessive salivation	53827007	159,449
Exhaustion	60119000	471,772
Expressionless face	248149005	48,091
Eye contact observations	400969001	263,510
Falls	161898004	139,376
Fasting	16985007	22,618
Fatigue	84229001	373,478
Fear	1402001	1,960,653
Feeling agitated	24199005	9,746,296
Feeling angry	75408008	5,521,655
Feeling ashamed	225012006	277,973
Feeling calm	102894008	12,071,971
Feeling comfortable	1148784009	773,629
Feeling content	271599002	516,717

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Feeling despair	17029006	119,217
Feeling disappointed		448,807
Feeling embarrassed		158,678
Feeling emotionally hurt	225019002	80,553
Feeling empty	225014007	65,489
Feeling encouraged		160,986
Feeling excited	224969003	521,459
Feeling faint	248223005	119,876
Feeling fed up		210,846
Feeling frustrated	224973000	3,322,695
Feeling guilt	7571003	1,532,302
Feeling hopeless	307077003	1,178,262
Feeling intoxicated	102897001	597,749
Feeling irritable	55929007	4,057,689
Feeling isolated	307048004	1,062,785
Feeling lonely	267076002	1,024,742
Feeling mixed emotions	16320008	456,552
Feeling nervous	424196004	534,706
Feeling of discouragement	9066006	45,657
Feeling pleased		378,793
Feeling powerless	33300005	323,588
Feeling proud	1149081002	118,151
Feeling reassured		850,183
Feeling relief	224978009	88,603
Feeling stressed	224974006	5,009,074
Feeling supported		494,002
Feeling tense	263897001	345,153

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Feeling trapped	224976008	136,142
Feeling upset	224977004	4,328,858
Feels hot	373932008	232,384
Fever	386661006	345,247
Fidgeting	247910009	157,644
Financial circumstances - finding	365550006	371,209
Financial problem	160932005	190,936
Finding of activity of daily living	118233009	363,607
Finding of appetite	289161009	3,455,879
Finding of fluid intake	289164001	213,360
Finding of gait	298302000	32,083
Finding of general energy	301325005	444,985
Finding of movement	298325004	1,829,318
Finding related to ability to concentrate	365759009	1,640,605
Finding related to ability to cope	397706001	965,926
Finding related to ability to perform breast-feeding	364826005	238,374
Finding related to ability to perform personal care activity	365178001	466,011
Finding related to ability to perform personal hygiene activity	365179009	462,907
Finding related to self-esteem	365939001	120,334
Flashbacks	30871003	636,505
Flat affect	932006	1,174,129
Flight of ideas	28810003	533,351
Food and drink intake - finding	366356005	2,019,012
Foot pain	47933007	15,670
Forgetful	55533009	531,889
Frailty	248279007	242,667
Fully mobile	160680006	1,668,091

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Gait normal	8117002	31,581
Generally unwell	213257006	5,583,238
Good insight		1,657,551
Good rapport		1,371,054
Good response		262,770
Good self-care		240,149
Hallucinations	7011001	4,442,949
Headache	25064002	1,025,928
Health problem		1,717,408
Hearing voices		5,146,458
High motivation	449911000124102	60,888
Hip pain	49218002	27,325
Hoarding	248025009	65,207
Hostile behavior	79351003	1,756,101
Hungry	55350005	147,421
Hyperactive behavior	44548000	369,126
Hypervigilant behavior	423752000	158,086
Hypomanic mood	281257007	236,942
Impaired cognition	386806002	1,180,705
Impaired concentration	1144748009	900,797
Impaired impulse control	1144747004	1,034,439
Impaired insight	12200008	519,536
Impaired judgement	38504003	232,569
Impaired mobility	82971005	776,205
Impaired social interaction	88598008	1,068,937
Impatient character	286755001	132,727
Improved mental health		239,335

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Improved mood	733819000	568,115
Improvement		1,255,469
Inability to resist compulsive behaviors	247972009	77,339
Inappropriate behavior	112082005	465,408
Inappropriate laughter	247985007	63,279
Inappropriately dressed	248162009	16,356
Inappropriate sexual behavior	248099006	143,404
Inattention	22058002	93,424
Incoherent		86,919
Incoherent speech	284596004	122,788
Incontinence	48340000	753,131
Incontinence of feces	72042002	121,877
Increased appetite	72405004	38,367
Increased energy	276301007	102,210
Independent		1,045,345
Indifference	20602000	108,584
Infection		355,655
Inflated self-opinion	247783009	498,524
Interacts with others normally	1144527009	29,168,344
Interpretation difficulties		147,020
Intrusive thoughts	225445003	679,421
Issues adapting		72,449
Joint pain	57676002	14,784
Judgement - finding	365837000	22,891
Judgement intact	709134004	1,267,449
Knight's move in thought	65135009	12,600
Labile affect	88729006	623,448

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Lack of awareness	406124004	55,752
Lack of energy	248274002	467,095
Lack of insight	24340004	717,921
Language difficulty	161156004	22,437
Language finding	106133000	167,686
Laughing	51078006	755,953
Learning difficulties	161129001	57,926
Learning finding	106138009	126,410
Lethargy	214264003	346,926
Limited knowledge		139,566
Limping	16973004	19,259
Long-term memory performance - finding	365888002	44,238
Loosening of associations	55346003	31,909
Loss of appetite	79890006	921,145
Loss of capacity for enjoyment	247796005	15,411
Loss of consciousness	419045004	170,274
Loss of interest	247753000	135,802
Loss of sense of smell	44169009	13,383
Loud in speech		73,807
Low motivation	26413003	1,248,065
Maintains good eye contact	400968009	4,378,889
Mania	231494001	612,220
Memory finding	106136008	188,029
Memory impairment	386807006	1,886,760
Memory lapses	225038006	15,893
Mental health problem	413307004	3,306,037
Mentally alert	248234008	1,572,264

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Mood disorder	46206005	105,510
Mood finding	106131003	6,202,639
Mood stable	225658008	20,066,980
Mood swings	18963009	1,356,584
Motivation finding	106121005	65,084
Motor dysfunction	52559000	79,945
Mutism	88052002	143,378
Narcissistic character	7267002	12,906
Nausea	422587007	658,793
Neck pain	81680005	34,915
Needs prompting		108,728
Negative automatic thoughts	247653006	1,050,881
Negative symptoms co-occurrent and due to primary psychotic disorder	724756001	85,732
Neologism	54501006	14,593
Nightmares	419145002	733,330
Normal appearance	386549008	172,590
Normal cognition	449888003	219,981
Normal concentration	134419005	854,025
Normal diet	36823005	3,518,192
Normal energy level	712890000	25,562
Normal fluid intake	161843009	974,929
Normal motivation	64423005	836,428
Normal respiratory function	22803001	217,334
Normal speech		3,612,710
Normal state of mind	830123008	2,586,509
Obsessional thoughts	67698009	117,039
Obsessive behavior	373658006	177,023

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Optimistic	225648009	603,099
Orientated	247663003	594,045
Oriented to person	427645006	67,119
Oriented to person, time and place	426224004	557,963
Oriented to place	427161009	173,663
Oriented to time	426794005	1,185,306
Otalgia	16001004	10,539
Overeating	58424009	126,314
Overvalued idea	81215003	92,529
Overweight	238131007	240,660
Pacing up and down	74691006	1,008,996
Pain	22253000	3,271,838
Pain in lower limb	10601006	152,051
Pain of knee region	1003722009	38,168
Palpitations	80313002	265,269
Panic	79823003	803,793
Panic attack	225624000	1,338,888
Paranoid delusion	225452001	208,105
Paranoid symptoms		5,378,772
Passivity of drive	28116007	128,297
Patient has insight of their illness	205021000000109	121,101
Perseveration	44515000	465,579
Personality AND/OR personality trait	106139001	222,723
Personality change	102943000	61,622
Physical health problems	413320001	2,021,417
Physically active	228447005	31,496
Poor eye contact	412786000	877,526

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Poor focus	246720002	72,239
Poor rapport		53,298
Poor short-term memory	247592009	234,451
Post-traumatic stress disorder symptoms		253,196
Postural drop in blood pressure	271648003	71,441
Poverty of speech	72123004	72,574
Preoccupation	247632002	1,233,301
Pressure of speech	53890003	1,108,480
Problem	55607006	2,136,084
Problems managing		275,534
Problems remembering		88,819
Pseudohallucinations	57095008	57,565
Psychological finding of perception	247699008	631,255
Psychomotor agitation	47295007	164,229
Psychomotor retardation	1144814003	231,873
Psychotic symptom finding	279315008	5,667,350
Quiet		1,425,902
Racing thoughts	285303006	247,205
Rapid speech	297111000000105	39,223
Reactive		575,353
Reactive affect		714,337
Reduced fluid intake	161844003	67,577
Reflecting	225436004	167,324
Relationship problems	160822004	394,890
Responsive		1,495,834
Restlessness	162221009	2,140,877
Risky behavior		361,251

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Rude		374,556
Rumination - thoughts	86110000	497,537
Sedated	17971005	401,055
Seizure	91175000	1,187,387
Self-care behavior	248053009	437,428
Self-esteem disturbance	64044004	651,162
Self-induced purging	249520001	186,259
Self-neglect	248054003	1,940,706
Sexually disinhibited behavior	225533009	268,230
Short-term memory performance - finding	365859003	302,831
Shoulder pain	45326000	35,370
Shuffling gait	43005009	49,625
Side effect		1,178,666
Skin finding	106076001	446,185
Slurred speech	289195008	259,546
Smartly dressed	248166007	670,135
Smiling	425363002	1,006,706
Sociable mood	225455004	471,433
Social interaction finding	129874008	1,227,153
Social isolation	422650009	430,686
Social phobia	25501002	270,775
Social withdrawal	105411000	67,147
Soreness	71393004	226,241
Sore throat symptom	267102003	140,103
Speech delay	229721007	34,809
Speech finding	106132005	5,996,249
Speech limited	162252005	266,424

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Spontaneous speech		258,888
Stable		2,137,886
Stomach ache	271681002	297,571
Stuttering	39423001	79,444
Suspicion	706876006	648,347
Sweating	415690000	366,074
Syncope	271594007	194,025
Tachycardia	3424008	91,407
Talks to self		349,329
Tends to be disorganized	286817002	49,408
Thought block	2899008	311,650
Thought broadcast	86917003	151,291
Tired	224960004	3,298,544
Toothache	27355003	160,213
Trauma		1,220,178
Tremor	26079004	1,021,877
Unable to control behavior	225902002	141,709
Unable to retain		101,766
Unconscious	418107008	75,000
Uncooperative character	286729002	99,517
Underweight	248342006	221,108
Unkempt appearance	46017004	1,105,444
Unpredictable behavior	284509004	342,742
Unsteady when walking	22631008	352,282
Urinary incontinence	165232002	856,500
Urine finding	301830001	727,063
Vigilant	830144008	26,672

Snomed Description [Sign or Symptom]	Snomed_ID	Row Count
Visual hallucinations	64269007	1,075,263
Voice tremor	55938009	46,512
Vomiting	422400008	1,238,037
Wandering	50239007	531,030
Weight finding	107647005	1,068,020
Weight gain	8943002	480,230
Weight loss	89362005	1,807,180
Weight steady	271398006	68,542
Well cared for appearance	397749000	5,983,309
Well in self	17326005	1,422,825
Withdrawal symptom	720822008	677,858
Withdrawn behavior	276249004	3,439,414
Word finding difficulty	229738006	394,053
Worried	79015004	12,572,098
Wound	416462003	335,885